

Setting Default Applications (PDFs)

Make It Personal ultimately produces a PDF document of your stationery design which can then be printed. It is highly recommended to set Adobe Acrobat Reader as the preferred viewer application for PDF files, as it provides the full range of options needed to produce quality output.

Adobe Reader (free) can be downloaded here.

Windows 7/10

System Default + Internet Explorer & Edge

Right-click on the icon of any PDF document on your desktop. From the context menu, click (1) *Open with*, and then (2) *Choose another app*. When prompted: *"How do you want to open this file?"* – Click on Adobe Acrobat Reader to select it, and then check the box: Always use this app to open .pdf files. Click *OK* to finish.





Firefox

Start by clicking the *Menu* button (1), and then choose *Options* (2).

Jake It Dorcounts.		- X, Cut	100%	Paste +
FAST TRACK >>> 1. Sele	ct Case 2. Select Product > 3. Réview Design >	4.1	New Private Window	Save Page
enter New Case	First Name	2 P Find	O ptions	Add-ces
FILL FROM A PAST CASE	Last Name	Developer	Synced Tabs	
	Date Born Date Died	C Sign in to Sy	nc	
	MMDD/YYYY 🖬 MMDD/YYYY 🛍	Customize		0 (
	Save Case and Select a Product			

Choose **Applications** (3) on the left hand side, and then find the entry for **Portable Document Format (PDF)** in the list. Using the drop-down, change its *Action* to "**Use Adobe Acrobat Reader DC (default)**" (4). There is no "save" or "apply" button, you can just close the Options tab when finished.

O limiter shouter	enforcement in the second s	C Q Sector	00400
	references#applications	C A search	
 General Search Content 	Applications	3	
Applications	Content Tune	Action	
🗢 Privacy	irc	Always ask	
Security	ircs	P Always ask	
Sync	🛀 mailto	Use Pick an app (default)	
A Advanced	Podcast	© Preview in Firefox	
S Hutaned	T Portable Document Format (PDF)	Use Adobe Acrobat Reader DC (default)	
	Video Podcast	Preview in Firefox	
	🔯 Web Feed	🖓 Preview in Firefox	
	🛀 webcal	(E) Always ask	



Google Chrome

For Chrome start by setting your system's default app by following the steps described in the first section of this document, "*System Default + Internet Explorer & Edge*". Then, in Chrome click the **Menu** icon (1), and then click **Settings** (2).

I MP ×		
← → C ① ■ Secure https://mipv2.messengerstationery.com/#/selectcase/newcase		Q # 0
👯 Apps 🔓 Google 🗮 Cisco Finesse 🗅 MIP 📙 MIPv2 🗅 SAGE 🕒 MIP Stage 🍃 CMS 🗋 MSB 🚼 Azur	e Portal 🚦 Azure Status 🚯 Aptera Portal 🕒 EGR 🗅 PayServ 🍖 EGR Support 20 🔣 Weather 🕢 Build a Resume Coc 📙 Login	N. Chi+1
Malia HI Dananual	0	New window Ctrl+N New incognito window Ctrl+Shift+N
Make III Personale Prz		History >
		- Bookmarks +
		Zoom - 110% + 23
FAST IRACK	2. Select Product > 3. Review Design > 4. Make It	Print Ctrl+P
		Cast Find
		More tools
	Elizabilitzaria	Edit Cut Copy Paste
S ENTER NEW CASE		Settings
- DR -		Help
	Last Name	bot Ctri+Shift+Q
HILL FROM A PAST CASE		
- OR -		
IMPORT FROM MANAGEMENT SOFTWARE	Date Born Date Died	
	MM/DD/YYYY 🖬 MM/DD/YYYY 🖬	
	Save Case and Select a Product	
		ghts Reserved
		-

A new tab displaying the settings will open, and then type "PDF" into the search bar along the top. Click on **Content Settings**.

-> C û @ Chrome chrome://settings/?search=	De	☆ Q = ♣ *
Apps G Google 🗮 Cisco Finesse 🕒 MOP 📙 MOPv2 [SAGE 🕒 MIP Stage 🍃 CMS 🗋 MSB 🚼 Azure Portal 🚼 Azure Status 🚯 Aptera Portal 🕒 EGR 🕒 PayServ 🌾 EGR Support 2.0 🗮 Weather 🔒 Build a Resur	ne Coo 🛛 📙 Login 💦 🗧 Other bookma
≡ Settings	Q. POFI	
	3 Privacy and security	
	Google Chrome may use web services to improve your browsing experience. You may optionally disable these services Learn more	
	Use a web service to help resolve navigation errors	
	Use a prediction service to help complete searches and URLs typed in the address bar	
	Use a prediction service to load pages more quickly	
	Automatically send some system information and page content to Google to help detect dangerous apps and sites	
	Protect you and your device from dangerous sites	
	Automatically send usage statistics and crash reports to Google	
	Send a "Do Not Track" request with your browsing traffic	
	Use a web service to help resolve spelling errors Simatter spell-checking by sending what you type in the trowser to doogle	
	Manage certificates Manage HTTPS/SBL certificates and settings	
	Content settings Control what information websites can use and what content they can show you.	
	PDF Clean history, cookies, cache, and more	



Next, scroll down to, and click on PDF Documents (5)...

AD X O Settings X			12 100.000
← → C O & Chrome chrome//settings/content/search=PDF		☆ 0 E #	1
El settings	O, PCF	Wexter L tud a leave (Co. 1 - Copi	counteries
	Ask before accessing		
	Ask before sending		
	C> JavaScrut Alcoved	×	
	Auk feet		
	E they all	*	
	Pepuan Biocheal		
	Background sync Allow recently closed sites to finish sending and receiving data	*	
	Automatic downloads Ask when a site tries to download lifes automatically after the first file		
	Unsanchoused plugin access Ask when a site wants to use a plugin to access your computer		
	Handlers Abow sites to ask to become default handlers for protocols	*	
	MDI devices Ask when a site wants to use system exclusive metsages to access MDI devices		
	Q, Zeomitrueis		
	ф IIIE decises	*	
6	D FOF cocuments		
	Ø Protected Content		
			-

Enable the setting **Open PDFs using a different application** (6). You can now close the Settings tab.

/ MD X O Settings X		
← → C O O Chrome chrome//settings/content/s	ed/Documenta/tearch=FDF	☆ 0 H 農 = i
H Appl & Boogle III Claco Finesse 🕒 MP - MPv2	🗅 SACE 🗋 MP Stage 🔅 CNS 🗋 Will 🚼 Acure Potal 🚼 Acure Status 🚯 Aptera Potal 🗋 Filt 🗋 Paylers 🍖 FGR Support 20 🔜 Weather 🖳	luid a fleurre Col Login 💦 👘 👘 Coler bookmarks
≡ Settings	Q, HOF 📀	
	← PDF documents	
	Open PDFs using a different application	



Mac OSX

First you will need to set the *system* default viewer for PDFs, before adjusting your individual browser settings. Locate a PDF file on you system, in this example we have one on our desktop. Right click the file's icon and choose *Open With*, and then *Other...*

	Pick bits
Copy Start.pdf Copy Start.pdf Compose Start.pdf David David	Acute Acrobit Reader DC (persuit) Coordyne Chronie United J Boots J Boots Bots Bots Bateri Bateri
Brow Water Copyonal Taga Brow Table Copyonal Brow Table Copyona	

In the *Choose Application* dialog, select **Adobe Acrobat Reader DC** (1), and then make sure to check the box **Always Open With** (2). Click **Open** when done. The document will open in Adobe Reader, and the settings are now in effect.

000	Choo	ose Application	
	Choose an application	to open the document "stark.pdf".	
	Applications	•	Q Search
Favorites	Adobe Acrt Reader DC	▼ Preview:	
Applications	Automator		
🔜 Desktop	Calculator	0	
Documents	📆 Calendar		
Downloads	Contacts		
Shared	Dashboard		
All	DVD Player	Name Adobe Acrobat	
Devices	FaceTime	Reader DC Kind Application	
Remote Disc	Font Book	Size 503 MB on disk Created 3/17/15, 3:34 AM	
		A 100 1 310/07 1 66 BU	
	Enable: Recomm	mended Applications	
		ways Open With	
	This applicat	ion can open "stark.pdf".	
			Cancel Open



Safari

With Safari as the active window, click *Safari* in the top title bar, and then click *Preferences*.



Click over to the **Security** tab (1). Make sure that **Block pop-up windows** is unchecked (2). Enable **Allow Plug-ins**, and then click *Plug-in Settings* (3).

General Tabs AutoFill Passwords Search Security Privacy Notifications Extensions Advanced	
Fraudulent sites: Varn when visiting a fraudulent website The Safe Browsing Service is unavailable. No updates have occurred in 37 days.	
Web content: C Enable JavaScript	
Internet plug-ins: V Allow Plug-ins Plug-in Settings	?



Verify that the Adobe Reader plug-in is enabled (1). Ensure that the entry for mipv2.messengerstationery.com is set to On (2). Click *Done* when finished.

Г

Adobe Flash Player Version 21.0.0.226	Adobe Reader		
Adobe Reader Version 17.009.20058	Allow websites to use this plug-in with the setti Configured Websites	ings below:	
Citrix Online Web De Version 1.0.105	0	On	A 🗘
Silverlight Version 5.1.50901.0	mipv2.messengerstationery.com	On 2	A 호
	ins. Websites using this plug-in may be able to acce and data. When visiting other web	ess your personal do bsites: On	cuments
			Done



Firefox

Start by clicking the *Menu* button (1), and then choose *Preferences* (2).

MIP × + https://rijpv2.messengerstationery.com/W/selectcase/340780/	selectproduct/870564/reviewdesign/1/	/print	a 10 mm		~	~	
				-	х, си —	Г <u>В</u> Сору 100%	Posto +
Fast Track 🂓 🗆	. Select Case	2. Select Product	3. Review Design	4. Mak		8	
	George Stark	Service Folder	MIP 2Up CSF No Bearers	Beaches	Vew Window	New Private Window	Save Page
Select pages to print					Print	History	4∰ Full Screen
SELECT ALL SELECT NONE	SELECT ODD	SELECT EVEN			р Find	Ö Preferences	Add-ons
					7		
	and a filler		0		Developer	Synced Tabs	_
			2		Customize		0 U
	Land B						
	File Na	me					
	StarkG	eorge_Service Folder.pdf					
		Generate PDF					

Choose **Applications** (3) on the left hand side, and then find the entry for **Portable Document Format (PDF)** in the list. Using the drop-down, change its *Action* to **Use Adobe Acrobat Reader DC (default)** (4). There is no "save" or "apply" button, you can just close the Preferences tab when finished.

Contraction of the first of the	ferences#applications	c	Q, Search	众白	4 🕆	Ø
General	Applications		(P)			
Conne	Applications		0			
Search						
Content	Search					
Applications	Content Type	Action				
Privacy	Adobe Acrobat FDF document	Use Adobe Acrobet NPAPI Plug-in, Version 17.009.20.				
Security	S Adobe Acrobat XML Data Package File	Use Adobe Acrobat NPAPI Plug-in, Version 17.009.20.				
Sync	🛸 Adobe Form Client Data File	Use Adobe Acrobat NPAPI Plug-in, Version 17.009.20.				
dvanced) ire	② Always ask				
	🗋 ircs	Always ask				
	D mailto	A Use Mail (default)				
	S Podcast	Preview In Firefox	1. S.			
	Portable Document Format (PDF)	A Use Adobe Acrobat Reader DC (default)	•			
	Video Podcast	Preview in Firefox	- 4)			



Google Chrome

Click the *Menu* icon (1), and then click *Settings* (2).

I Lope ×		0
← → C a Secure https://mpv2 messargentationery.com/Account/Login/ReturnU4=%29	1	
Make III Darcourat	New Tab New Wolker New Incognito Window	MN OMN
	History Downloads Bockmarks	LHO.
Login	Nood help? Email mipsuppert@messengertis.com or call 1-800-82 Zoom	0% [+] [₃ 4]
Username	Print Cast Find More Turks	NP NF
Bassaged	feit Gat	Copy Patte
raswo	C Nep	
	© 2017 Messenger, All Rights Reserved	

A new tab displaying the settings will open, and then type "PDF" into the search bar along the top (3). Click on **Content Settings** (4).

Contraction of the sector of t		θ
Settings	Q. poff	0
	Privacy and security	3
	Google Chrome may use web services to improve your browsing experience. You may optionally disable tervices. Learn more	These
	Use a web service to help resolve navigation errors	-
	Use a prediction service to help complete searches and URLs typed in the address bar	-
	Use a prediction service to load pages more quickly	•
	Automatically report details of possible security incidents to Google	
-	Protect you and your device from dangerous sites	
	Automatically send usage statistics and crash reports to Google	()#.
	Send a "Do Not Track" request with your browsing traffic	
	Use a web service to help resolve spelling errors Smarter spell-checking by sending what you type in the browser to Google	
	Manage certificates Manage HTTPS/SSL certificates and settings	8
4	Content settings Control what information websites can use and what contant they can show you	· ·
	PDF Clear history, cookies, cache, and more	



Next, scroll down to, and click on PDF Documents (5)...

Loge × Q Settings ×		
C Chrome chrome://settings/content?search=PDF		
≡ Settings	Q, FEF	0
	Microphone Ask before sociesing	•
	Ask before sending	
	C JavaScript Aboved	× .
	Rash Run only important content	•
	E Show all	*
	Pepuse Iticked	•
	Background eyro Allow recently closed sites to finish sending and receiving data	•
	Automatic downloads Ask when a site tries to download files subornatically after the first file	*
	Unsanctioused plugin access Ask when a site wants to use a plugin to access your computer	•
	 Handlers Allow alter to ask to become default handlers for protocols 	
	MDI Sevces Ask when a site wants to use system exclusive messages to access MDI devices	8
	O, Zoom Invela	
	ψ US8 devices	•
6	PDF documents	,
	Protected Centerit	*

Enable the setting **Download PDF files instead of automatically opening them in Chrome** (6). You can now close the Settings tab.

• • • / • MIP ×	🗘 Settings 🛛 🗙 🔽	е
← → C O Chrome chrome://settings/content/pdfDocuments?search-pdf		
Settings	Q, pdf	8
	< PDF documents	
	6 Download PDF files instead of automatically opening them in Chrome	